

VERSION WITH MARKINGS TO SHOW CHANGES MADE

(**Added material** is noted in bold underline; [deleted material] is noted in brackets)

In the Specification:

Please replace the paragraph beginning on page 4, line 17, with the following rewritten paragraph:

--OPGL is synthesised as a type II transmembrane protein consisting of 317 amino acid residues (human, cf. SEQ ID NO: 2 **(corresponding DNA sequence in SEQ ID NO: 1)**) or 316 amino acid residues (murine, cf. SEQ ID NOS: 4 and 6 **(corresponding DNA sequences in SEQ ID NOS: 3 and 5, respectively)**). Alignment of the two amino acid sequences show that identical amino acid residues are found at 87% of the homologous positions.--

Please replace the paragraph beginning on page 24, line 20, with the following rewritten paragraph:

--The promiscuous epitope can according to the invention be a naturally occurring human T-cell epitope such as epitopes from tetanus toxoid (e.g. the P2 and P30 epitopes **(SEQ ID NOS: 34 and 35, respectively)**), diphtheria toxoid, Influenza virus hemagglutinin (HA), and *P. falciparum* CS antigen. --

Please replace the paragraph beginning on page 25, line 31, with the following rewritten paragraph:

--One especially preferred PADRE peptide is the one having the amino acid sequence AKFVAAWTLKAAA (SEQ ID NO: 36) or an immunologically effective subsequence thereof. This, and other epitopes having the same lack of MHC restriction are preferred T-cell epitopes which should be present in the OPGL analogues used in the inventive method. Such super-promiscuous epitopes will allow for the most simple embodiments of the invention wherein only one single modified OPGL is presented to the vaccinated animal's immune system.--

Please replace the paragraph beginning on page 54, line 18, with the following rewritten paragraph:

--A synthetic cDNA encoding the murine OPGL residues 158-316 has been synthesized removing sub-optimal *Eschericia coli* and *Pichia pastoris* codons from the published sequence. Additionally, an N-terminal Histidine tag, part of the cleavage site of the alpha mating factor signal sequence from *Sacharomyces cerevisiae*, and suitable restriction enzymes have been incorporated into the open reading frame (cf. SEQ ID NO: 7 (corresponding amino acid sequence in SEQ ID NO: 8)).--

Please replace the paragraph beginning on page 54, line 25, with the following rewritten paragraph:

--This cDNA encoding wild type murine OPGL has been cloned into a standard *Eschericia coli* expression vector (pTrc99a) using *Bsp*HI and *Hind*III restriction enzymes and a standard cloning vector (pBluescript KS+) using

SacI and *KpnI* restriction enzymes (yielding SEQ ID NO: 9 (corresponding amino acid sequence in SEQ ID NO: 10)).--

Please replace the paragraph beginning on page 58, line 5, with the following rewritten paragraph:

--PCR of SEQ ID NO: 9 was performed using SEQ ID NOs: 22 and 25 as primers. The resulting PCR fragment was restriction digested with *SacII* and *KpnI* and subsequently purified from an agarose gel. A second PCR using SEQ ID NO: 9 as template was performed using primer SEQ ID NO: 26 and a vector specific primer. The resulting PCR fragment was restriction digested with *KpnI* and *HindIII*. Both fragments were then ligated to SEQ ID NO: 9 in pBluescript KS+ restriction digested with *SacII* and *HindIII*. To correct a single base mutation in this construct, PCR using the construct as template was performed with primers SEQ ID NOs: 33 and 29. The resulting PCR fragment was restriction digested with *PstI* + *EcoRI*, gel purified and subsequently ligated to the erroneous construct digested with *PstI* and *EcoRI*. The verified construct (SEQ ID NO: 13 (corresponding amino acid sequence in SEQ ID NO: 14)) was then transferred to pTrc99a using *BspHI* and *HindIII* restriction enzymes.--

Please replace the paragraph beginning on page 58, line 23, with the following rewritten paragraph:

--PCR was performed using primers SEQ ID NOs: 27 and 28 without template. The resulting PCR fragment was restriction digested with *PstI* and *EcoRI* and subsequently purified from an agarose gel. The resulting fragment was then ligated to SEQ ID NO: 9 in pBluescript KS+ restriction digested with

SacII and *HindIII*. The verified construct (SEQ ID NO: 15 (corresponding amino acid sequence in SEQ ID NO: 16)) was subsequently transferred to pTrc99a using *BspHI* and *HindIII* restriction enzymes.--

Please replace the paragraph beginning on page 59, line 1, with the following rewritten paragraph:

--PCR of SEQ ID NO: 9 was performed using primers SEQ ID NOs: 22 and 29. The resulting PCR fragment was restriction digested with *PstI* and *BstBI* and subsequently purified from an agarose gel. A second PCR using SEQ ID NO: 9 as template was performed using primer SEQ ID NO: 30 and a vector specific primer. The resulting PCR fragment was restriction digested with *BstBI* and *KpnI* and subsequently gel purified. Both fragments were then ligated to SEQ ID NO: 9 in pBluescript KS+ restriction digested with *PstI* and *KpnI*. The verified construct (SEQ ID NO: 17 (corresponding amino acid sequence in SEQ ID NO: 18)) was then transferred to pTrc99a using *BspHI* and *HindIII* restriction enzymes.--

Please replace the paragraph beginning on page 59, line 14, with the following rewritten paragraph:

--PCR of SEQ ID NO: 9 was performed using primers SEQ ID NOs: 22 and 23. The resulting PCR fragment was restriction digested with *SacII* and *KpnI* and subsequently purified from an agarose gel. A second PCR using SEQ ID NO: 9 as template was performed using primer SEQ ID NOs: 24 and 31. The PCR fragment was restriction digested with *KpnI* and *EcoRI* and subsequently gel purified. Both fragments were then ligated to SEQ ID NO: 9 in

pBluescript KS+ restriction digested with *Sac*II and *Eco*RI. The verified construct (SEQ ID NO: 19 (corresponding amino acid sequence in SEQ ID NO: 20)) was then transferred to pTrc99a using *Bsp*HI and *Hind*III restriction enzymes.-

In the Claims:

Please replace Claim 12 with the following amended claim:

Claim 12 (amended) --The method according to claim 11, wherein the natural T-cell epitope is selected from a Tetanus toxoid epitope such as P2 or P30 (SEQ ID NOS: 34 and 35, respectively), a diphtheria toxoid epitope, an influenza virus hemagglutinin epitope, and a *P. falciparum* CS epitope.--



SEQUENCE LISTING

<110> M&E Biotech A/S
HALKIER, Torben
HAANING, Jesper

<120> Method for Down-Regulating Osteoprotegerin Ligand Activity

<130> 3631-0108P

<140> US 09/787,126

<141> 2001-03-14

<160> 36

<170> PatentIn Ver. 2.1

<210> 1

<211> 2271

<212> DNA

<213> Homo sapiens

<220>

<221> CDS

<222> (185)..(1138)

<400> 1

aio
aagcttggtta ccgagctcgg atccactact cgacccacgc gtccgcgcgc cccaggagcc 60
aaagccggggc tccaagtccg cgccccacgt cgaggctccg ccgcagcctc cggagttggc 120
cgcagacaag aaggggaggg agcgggagag ggaggagagc tccgaagcga gagggccgag 180
cgcc atg cgc cgc gcc agc aga gac tac acc aag tac ctg cgt ggc tcg 229
Met Arg Arg Ala Ser Arg Asp Tyr Thr Lys Tyr Leu Arg Gly Ser
1 5 10 15
gag gag atg ggc ggc ggc ccc gga gcc ccg cac gag ggc ccc ctg cac 277
Glu Glu Met Gly Gly Gly Pro Gly Ala Pro His Glu Gly Pro Leu His
20 25 30
gcc ccg ccg ccg cct gcg ccg cac cag ccc ccc gcc gcc tcc cgc tcc 325
Ala Pro Pro Pro Ala Pro His Gln Pro Pro Ala Ala Ser Arg Ser
35 40 45
atg ttc gtg gcc ctc ctg ggg ctg ggg ctg ggc cag gtt gtc tgc agc 373
Met Phe Val Ala Leu Leu Gly Leu Gly Leu Gly Gln Val Val Cys Ser
50 55 60
gtc gcc ctg ttc ttc tat ttc aga gcg cag atg gat cct aat aga ata 421
Val Ala Leu Phe Phe Tyr Phe Arg Ala Gln Met Asp Pro Asn Arg Ile
65 70 75
tca gaa gat ggc act cac tgc att tat aga att ttg aga ctc cat gaa 469
Ser Glu Asp Gly Thr His Cys Ile Tyr Arg Ile Leu Arg Leu His Glu
80 85 90 95
aat gca gat ttt caa gac aca act ctg gag agt caa gat aca aaa tta 517
Asn Ala Asp Phe Gln Asp Thr Thr Leu Glu Ser Gln Asp Thr Lys Leu
100 105 110
ata cct gat tca tgt agg aga att aaa cag gcc ttt caa gga gct gtg 565
Ile Pro Asp Ser Cys Arg Arg Ile Lys Gln Ala Phe Gln Gly Ala Val
115 120 125
caa aag gaa tta caa cat atc gtt gga tca cag cac atc aga gca gag 613

Gln	Lys	Glu	Leu	Gln	His	Ile	Val	Gly	Ser	Gln	His	Ile	Arg	Ala	Glu		
		130					135					140					
aaa	gcg	atg	gtg	gat	ggc	tca	tgg	tta	gat	ctg	gcc	aag	agg	agc	aag	661	
Lys	Ala	Met	Val	Asp	Gly	Ser	Trp	Leu	Asp	Leu	Ala	Lys	Arg	Ser	Lys		
		145					150					155					
ctt	gaa	gct	cag	cct	ttt	gct	cat	ctc	act	att	aat	gcc	acc	gac	atc	709	
Leu	Glu	Ala	Gln	Pro	Phe	Ala	His	Leu	Thr	Ile	Asn	Ala	Thr	Asp	Ile		
		160					165				170				175		
cca	tct	ggg	tcc	cat	aaa	gtg	agt	ctg	tcc	tct	tgg	tac	cat	gat	cgg	757	
Pro	Ser	Gly	Ser	His	Lys	Val	Ser	Leu	Ser	Ser	Trp	Tyr	His	Asp	Arg		
				180					185					190			
ggg	tgg	gcc	aag	atc	tcc	aac	atg	act	ttt	agc	aat	gga	aaa	cta	ata	805	
Gly	Trp	Ala	Lys	Ile	Ser	Asn	Met	Thr	Phe	Ser	Asn	Gly	Lys	Leu	Ile		
		195					200						205				
gtt	aat	cag	gat	ggc	ttt	tat	tac	ctg	tat	gcc	aac	att	tgc	ttt	cga	853	
Val	Asn	Gln	Asp	Gly	Phe	Tyr	Tyr	Leu	Tyr	Ala	Asn	Ile	Cys	Phe	Arg		
		210					215					220					
cat	cat	gaa	act	tca	gga	gac	cta	gct	aca	gag	tat	ctt	caa	cta	atg	901	
His	His	Glu	Thr	Ser	Gly	Asp	Leu	Ala	Thr	Glu	Tyr	Leu	Gln	Leu	Met		
		225				230					235						
gtg	tac	gtc	act	aaa	acc	agc	atc	aaa	atc	cca	agt	tct	cat	acc	ctg	949	
Val	Tyr	Val	Thr	Lys	Thr	Ser	Ile	Lys	Ile	Pro	Ser	Ser	His	Thr	Leu		
		240			245					250				255			
atg	aaa	gga	gga	agc	acc	aag	tat	tgg	tca	ggg	aat	tct	gaa	ttc	cat	997	
Met	Lys	Gly	Gly	Ser	Thr	Lys	Tyr	Trp	Ser	Gly	Asn	Ser	Glu	Phe	His		
				260				265					270				
ttt	tat	tcc	ata	aac	gtt	ggg	gga	ttt	ttt	aag	tta	cgg	tct	gga	gag	1045	
Phe	Tyr	Ser	Ile	Asn	Val	Gly	Gly	Phe	Phe	Lys	Leu	Arg	Ser	Gly	Glu		
		275				280						285					
gaa	atc	agc	atc	gag	gtc	tcc	aac	ccc	tcc	tta	ctg	gat	ccg	gat	cag	1093	
Glu	Ile	Ser	Ile	Glu	Val	Ser	Asn	Pro	Ser	Leu	Leu	Asp	Pro	Asp	Gln		
		290				295					300						
gat	gca	aca	tac	ttt	ggg	gct	ttt	aaa	gtt	cga	gat	ata	gat	tga		1138	
Asp	Ala	Thr	Tyr	Phe	Gly	Ala	Phe	Lys	Val	Arg	Asp	Ile	Asp				
		305				310					315						
gccccagttt	ttggagtgtt	atgtatttcc	tggatgtttg	gaaacatttt	ttaaaacaag	1198											
ccaagaaaga	tgtatatagg	tgtgtgagac	tactaagagg	catggcccca	acggtacacg	1258											
actcagatc	catgctcttg	accttgtaga	gaacacgcgt	atttacagcc	agtgggagat	1318											
gttagactca	tggtgtgtta	cacaatgggt	tttaaatttt	gtaatgaatt	cctagaatta	1378											
aaccagattg	gagcaattac	gggttgacct	tatgagaaac	tgcatgtggg	ctatgggagg	1438											
gggttggtccc	tggtcatgtg	ccccttcgca	gctgaagtgg	agaggggtgtc	atctagcgca	1498											
attgaaggat	catctgaagg	ggcaaattct	tttgaattgt	tacatcatgc	tggaacctgc	1558											
aaaaaatact	ttttctaattg	aggagagaaa	atatatgtat	ttttatataa	tatctaaagt	1618											
tatatattcag	atgtaattgtt	ttctttgcaa	agtattgtaa	attatatattg	tgctatagta	1678											
tttgattcaa	aatatattaaa	aatgtcttgc	tggtgacata	tttaattgttt	taaatgtaca	1738											
gacatatttta	actggtgcac	tttgtaaatt	ccctggggaa	aacttgcagc	taaggagggg	1798											
aaaaaaatgt	tgtttcctaa	tatcaaatgc	agtatatattc	ttcgttcttt	ttaagttaat	1858											
agattttttc	agacttggtca	agcctgtgca	aaaaaattaa	aatggatgcc	ttgaataata	1918											
agcaggatgt	tggccaccag	gtgcctttca	aatttagaaa	ctaattgact	ttagaaaagct	1978											
gacattgccaa	aaaaggatac	ataatgggcc	actgaaatct	gtcaagagta	ggtatataat	2038											
tggtgaacag	gtgtttttcc	acaagtgcgg	caaattgtac	cttttttttt	ttttcaaaat	2098											
agaaaagtta	ttagtggttt	atcagcaaaa	aagtccaatt	ttaatttagt	aaatgttatc	2158											
ttatactgta	caataaaaaac	attgcctttg	aatgttaatt	ttttggtaca	aaaataaatt	2218											
tatatgaaaa	aaaaaaaaaaa	agggcgggcg	ctctagaggg	ccctattcta	tag	2271											

<210> 2

<211> 317
 <212> PRT
 <213> Homo sapiens

<400> 2

```

Met Arg Arg Ala Ser Arg Asp Tyr Thr Lys Tyr Leu Arg Gly Ser Glu
 1           5           10           15
Glu Met Gly Gly Gly Pro Gly Ala Pro His Glu Gly Pro Leu His Ala
          20           25           30
Pro Pro Pro Pro Ala Pro His Gln Pro Pro Ala Ala Ser Arg Ser Met
          35           40           45
Phe Val Ala Leu Leu Gly Leu Gly Leu Gly Gln Val Val Cys Ser Val
          50           55           60
Ala Leu Phe Phe Tyr Phe Arg Ala Gln Met Asp Pro Asn Arg Ile Ser
          65           70           75           80
Glu Asp Gly Thr His Cys Ile Tyr Arg Ile Leu Arg Leu His Glu Asn
          85           90           95
Ala Asp Phe Gln Asp Thr Thr Leu Glu Ser Gln Asp Thr Lys Leu Ile
          100          105          110
Pro Asp Ser Cys Arg Arg Ile Lys Gln Ala Phe Gln Gly Ala Val Gln
          115          120          125
Lys Glu Leu Gln His Ile Val Gly Ser Gln His Ile Arg Ala Glu Lys
          130          135          140
Ala Met Val Asp Gly Ser Trp Leu Asp Leu Ala Lys Arg Ser Lys Leu
          145          150          155          160
Glu Ala Gln Pro Phe Ala His Leu Thr Ile Asn Ala Thr Asp Ile Pro
          165          170          175
Ser Gly Ser His Lys Val Ser Leu Ser Ser Trp Tyr His Asp Arg Gly
          180          185          190
Trp Ala Lys Ile Ser Asn Met Thr Phe Ser Asn Gly Lys Leu Ile Val
          195          200          205
Asn Gln Asp Gly Phe Tyr Tyr Leu Tyr Ala Asn Ile Cys Phe Arg His
          210          215          220
His Glu Thr Ser Gly Asp Leu Ala Thr Glu Tyr Leu Gln Leu Met Val
          225          230          235          240
Tyr Val Thr Lys Thr Ser Ile Lys Ile Pro Ser Ser His Thr Leu Met
          245          250          255
Lys Gly Gly Ser Thr Lys Tyr Trp Ser Gly Asn Ser Glu Phe His Phe
          260          265          270
Tyr Ser Ile Asn Val Gly Gly Phe Phe Lys Leu Arg Ser Gly Glu Glu
          275          280          285
Ile Ser Ile Glu Val Ser Asn Pro Ser Leu Leu Asp Pro Asp Gln Asp
          290          295          300
Ala Thr Tyr Phe Gly Ala Phe Lys Val Arg Asp Ile Asp
          305          310          315

```

<210> 3
 <211> 951
 <212> DNA
 <213> Mus musculus

<220>
 <221> CDS
 <222> (1)..(951)

<220>

<221> misc_feature
 <222> (142)..(213)
 <223> Transmembrane domain

<220>
 <221> misc_feature
 <222> (454)..(948)
 <223> Tumour Necrosis Factor(TNF)-like domain

<400> 3
 atg cgc cgg gcc agc cga gac tac ggc aag tac ctg cgc agc tcg gag 48
 Met Arg Arg Ala Ser Arg Asp Tyr Gly Lys Tyr Leu Arg Ser Ser Glu
 1 5 10 15
 gag atg ggc agc ggc ccc ggc gtc cca cac gag ggt ccg ctg cac ccc 96
 Glu Met Gly Ser Gly Pro Gly Val Pro His Glu Gly Pro Leu His Pro
 20 25 30
 gcg cct tct gca ccg gct ccg gcg ccg cca ccc gcc gcc tcc cgc tcc 144
 Ala Pro Ser Ala Pro Ala Pro Ala Pro Pro Pro Ala Ala Ser Arg Ser
 35 40 45
 atg ttc ctg gcc ctc ctg ggg ctg gga ctg ggc cag gtg gtc tgc agc 192
 Met Phe Leu Ala Leu Leu Gly Leu Gly Gln Val Val Cys Ser
 50 55 60
 atc gct ctg ttc ctg tac ttt cga gcg cag atg gat cct aac aga ata 240
 Ile Ala Leu Phe Leu Tyr Phe Arg Ala Gln Met Asp Pro Asn Arg Ile
 65 70 75 80
 tca gaa gac agc act cac tgc ttt tat aga atc ctg aga ctc cat gaa 288
 Ser Glu Asp Ser Thr His Cys Phe Tyr Arg Ile Leu Arg Leu His Glu
 85 90 95
 aac gca ggt ttg cag gac tcg act ctg gag agt gaa gac aca cta cct 336
 Asn Ala Gly Leu Gln Asp Ser Thr Leu Glu Ser Glu Asp Thr Leu Pro
 100 105 110
 gac tcc tgc agg agg atg aaa caa gcc ttt cag ggg gcc gtg cag aag 384
 Asp Ser Cys Arg Arg Met Lys Gln Ala Phe Gln Gly Ala Val Gln Lys
 115 120 125
 gaa ctg caa cac att gtg ggg cca cag cgc ttc tca gga gct cca gct 432
 Glu Leu Gln His Ile Val Gly Pro Gln Arg Phe Ser Gly Ala Pro Ala
 130 135 140
 atg atg gaa ggc tca tgg ttg gat gtg gcc cag cga ggc aag cct gag 480
 Met Met Glu Gly Ser Trp Leu Asp Val Ala Gln Arg Gly Lys Pro Glu
 145 150 155 160
 gcc cag cca ttt gca cac ctc acc atc aat gct gcc agc atc cca tcg 528
 Ala Gln Pro Phe Ala His Leu Thr Ile Asn Ala Ala Ser Ile Pro Ser
 165 170 175
 ggt tcc cat aaa gtc act ctg tcc tct tgg tac cac gat cga ggc tgg 576
 Gly Ser His Lys Val Thr Leu Ser Ser Trp Tyr His Asp Arg Gly Trp
 180 185 190
 gcc aag atc tct aac atg acg tta agc aac gga aaa cta agg gtt aac 624
 Ala Lys Ile Ser Asn Met Thr Leu Ser Asn Gly Lys Leu Arg Val Asn
 195 200 205
 caa gat ggc ttc tat tac ctg tac gcc aac att tgc ttt cgg cat cat 672
 Gln Asp Gly Phe Tyr Tyr Leu Tyr Ala Asn Ile Cys Phe Arg His His
 210 215 220
 gaa aca tcg gga agc gta cct aca gac tat ctt cag ctg atg gtg tat 720
 Glu Thr Ser Gly Ser Val Pro Thr Asp Tyr Leu Gln Leu Met Val Tyr
 225 230 235 240
 gtc gtt aaa acc agc atc aaa atc cca agt tct cat aac ctg atg aaa 768
 Val Val Lys Thr Ser Ile Lys Ile Pro Ser Ser His Asn Leu Met Lys

				245					250					255			
gga	ggg	agc	acg	aaa	aac	tgg	tcg	ggc	aat	tct	gaa	ttc	cac	ttt	tat		816
Gly	Gly	Ser	Thr	Lys	Asn	Trp	Ser	Gly	Asn	Ser	Glu	Phe	His	Phe	Tyr		
			260					265					270				
tcc	ata	aat	ggt	ggg	gga	ttt	ttc	aag	ctc	cga	gct	ggt	gaa	gaa	att		864
Ser	Ile	Asn	Val	Gly	Gly	Phe	Phe	Lys	Leu	Arg	Ala	Gly	Glu	Glu	Ile		
		275					280					285					
agc	att	cag	gtg	tcc	aac	cct	tcc	ctg	ctg	gat	ccg	gat	caa	gat	gcg		912
Ser	Ile	Gln	Val	Ser	Asn	Pro	Ser	Leu	Leu	Asp	Pro	Asp	Gln	Asp	Ala		
	290				295					300							
acg	tac	ttt	ggg	gct	ttc	aaa	gtt	cag	gac	ata	gac	tga					951
Thr	Tyr	Phe	Gly	Ala	Phe	Lys	Val	Gln	Asp	Ile	Asp						
305					310				315								

<210> 4

<211> 316

<212> PRT

<213> Mus musculus

<400> 4

Met	Arg	Arg	Ala	Ser	Arg	Asp	Tyr	Gly	Lys	Tyr	Leu	Arg	Ser	Ser	Glu		
1				5					10					15			
Glu	Met	Gly	Ser	Gly	Pro	Gly	Val	Pro	His	Glu	Gly	Pro	Leu	His	Pro		
			20					25					30				
Ala	Pro	Ser	Ala	Pro	Ala	Pro	Ala	Pro	Pro	Pro	Ala	Ala	Ser	Arg	Ser		
	35				40						45						
Met	Phe	Leu	Ala	Leu	Leu	Gly	Leu	Gly	Leu	Gly	Gln	Val	Val	Cys	Ser		
	50				55						60						
Ile	Ala	Leu	Phe	Leu	Tyr	Phe	Arg	Ala	Gln	Met	Asp	Pro	Asn	Arg	Ile		
	65				70				75					80			
Ser	Glu	Asp	Ser	Thr	His	Cys	Phe	Tyr	Arg	Ile	Leu	Arg	Leu	His	Glu		
			85					90					95				
Asn	Ala	Gly	Leu	Gln	Asp	Ser	Thr	Leu	Glu	Ser	Glu	Asp	Thr	Leu	Pro		
	100							105					110				
Asp	Ser	Cys	Arg	Arg	Met	Lys	Gln	Ala	Phe	Gln	Gly	Ala	Val	Gln	Lys		
	115					120					125						
Glu	Leu	Gln	His	Ile	Val	Gly	Pro	Gln	Arg	Phe	Ser	Gly	Ala	Pro	Ala		
	130				135						140						
Met	Met	Glu	Gly	Ser	Trp	Leu	Asp	Val	Ala	Gln	Arg	Gly	Lys	Pro	Glu		
	145				150					155				160			
Ala	Gln	Pro	Phe	Ala	His	Leu	Thr	Ile	Asn	Ala	Ala	Ser	Ile	Pro	Ser		
			165					170						175			
Gly	Ser	His	Lys	Val	Thr	Leu	Ser	Ser	Trp	Tyr	His	Asp	Arg	Gly	Trp		
			180					185					190				
Ala	Lys	Ile	Ser	Asn	Met	Thr	Leu	Ser	Asn	Gly	Lys	Leu	Arg	Val	Asn		
	195					200						205					
Gln	Asp	Gly	Phe	Tyr	Tyr	Leu	Tyr	Ala	Asn	Ile	Cys	Phe	Arg	His	His		
	210				215						220						
Glu	Thr	Ser	Gly	Ser	Val	Pro	Thr	Asp	Tyr	Leu	Gln	Leu	Met	Val	Tyr		
	225				230				235					240			
Val	Val	Lys	Thr	Ser	Ile	Lys	Ile	Pro	Ser	Ser	His	Asn	Leu	Met	Lys		
			245					250					255				
Gly	Gly	Ser	Thr	Lys	Asn	Trp	Ser	Gly	Asn	Ser	Glu	Phe	His	Phe	Tyr		
		260						265					270				
Ser	Ile	Asn	Val	Gly	Gly	Phe	Phe	Lys	Leu	Arg	Ala	Gly	Glu	Glu	Ile		
		275					280					285					

Ser Ile Gln Val Ser Asn Pro Ser Leu Leu Asp Pro Asp Gln Asp Ala
 290 295 300
 Thr Tyr Phe Gly Ala Phe Lys Val Gln Asp Ile Asp
 305 310 315

<210> 5
 <211> 2299
 <212> DNA
 <213> Mus musculus

<220>
 <221> CDS
 <222> (170)..(1120)

<400> 5
 gagctcggat ccactactcg acccacgcgt ccgcccacgc gtccggccag gacctctgtg 60
 aaccggtcgg ggccgggggcc gcctggccgg gagtctgctc ggccggtgggt ggccgaggaa 120
 gggagagaac gatcgcggag cagggcgccc gaactccggg cgccgcgcc atg cgc cgg 178
 Met Arg Arg
 1
 gcc agc cga gac tac ggc aag tac ctg cgc agc tcg gag gag atg ggc 226
 Ala Ser Arg Asp Tyr Gly Lys Tyr Leu Arg Ser Ser Glu Glu Met Gly
 5 10 15
 agc ggc ccc ggc gtc cca cac gag ggt ccg ctg cac ccc gcg cct tct 274
 Ser Gly Pro Gly Val Pro His Glu Gly Pro Leu His Pro Ala Pro Ser
 20 25 30 35
 gca ccg gct ccg gcg ccg cca ccc gcc gcc tcc cgc tcc atg ttc ctg 322
 Ala Pro Ala Pro Ala Pro Pro Pro Ala Ala Ser Arg Ser Met Phe Leu
 40 45 50
 gcc ctc ctg ggg ctg gga ctg ggc cag gtg gtc tgc agc atc gct ctg 370
 Ala Leu Leu Gly Leu Gly Leu Gly Gln Val Val Cys Ser Ile Ala Leu
 55 60 65
 ttc ctg tac ttt cga gcg cag atg gat cct aac aga ata tca gaa gac 418
 Phe Leu Tyr Phe Arg Ala Gln Met Asp Pro Asn Arg Ile Ser Glu Asp
 70 75 80
 agc act cac tgc ttt tat aga atc ctg aga ctc cat gaa aac gca ggt 466
 Ser Thr His Cys Phe Tyr Arg Ile Leu Arg Leu His Glu Asn Ala Gly
 85 90 95
 ttg cag gac tcg act ctg gag agt gaa gac aca cta cct gac tcc tgc 514
 Leu Gln Asp Ser Thr Leu Glu Ser Glu Asp Thr Leu Pro Asp Ser Cys
 100 105 110 115
 agg agg atg aaa caa gcc ttt cag ggg gcc gtg cag aag gaa ctg caa 562
 Arg Arg Met Lys Gln Ala Phe Gln Gly Ala Val Gln Lys Glu Leu Gln
 120 125 130
 cac att gtg ggg cca cag cgc ttc tca gga gct cca gct atg atg gaa 610
 His Ile Val Gly Pro Gln Arg Phe Ser Gly Ala Pro Ala Met Met Glu
 135 140 145
 ggc tca tgg ttg gat gtg gcc cag cga ggc aag cct gag gcc cag cca 658
 Gly Ser Trp Leu Asp Val Ala Gln Arg Gly Lys Pro Glu Ala Gln Pro
 150 155 160
 ttt gca cac ctc acc atc aat gct gcc agc atc cca tcg ggt tcc cat 706
 Phe Ala His Leu Thr Ile Asn Ala Ala Ser Ile Pro Ser Gly Ser His
 165 170 175
 aaa gtc act ctg tcc tct tgg tac cac gat cga ggc tgg gcc aag atc 754
 Lys Val Thr Leu Ser Ser Trp Tyr His Asp Arg Gly Trp Ala Lys Ile
 180 185 190 195

```

tct aac atg acg tta agc aac gga aaa cta agg gtt aac caa gat ggc 802
Ser Asn Met Thr Leu Ser Asn Gly Lys Leu Arg Val Asn Gln Asp Gly
200 205 210
ttc tat tac ctg tac gcc aac att tgc ttt cgg cat cat gaa aca tcg 850
Phe Tyr Tyr Leu Tyr Ala Asn Ile Cys Phe Arg His His Glu Thr Ser
215 220 225
gga agc gta cct aca gac tat ctt cag ctg atg gtg tat gtc gtt aaa 898
Gly Ser Val Pro Thr Asp Tyr Leu Gln Leu Met Val Tyr Val Val Lys
230 235 240
acc agc atc aaa atc cca agt tct cat aac ctg atg aaa gga ggg agc 946
Thr Ser Ile Lys Ile Pro Ser Ser His Asn Leu Met Lys Gly Gly Ser
245 250 255
acg aaa aac tgg tcg ggc aat tct gaa ttc cac ttt tat tcc ata aat 994
Thr Lys Asn Trp Ser Gly Asn Ser Glu Phe His Phe Tyr Ser Ile Asn
260 265 270 275
gtt ggg gga ttt ttc aag ctc cga gct ggt gaa gaa att agc att cag 1042
Val Gly Gly Phe Phe Lys Leu Arg Ala Gly Glu Glu Ile Ser Ile Gln
280 285 290
gtg tcc aac cct tcc ctg ctg gat ccg gat caa gat gcg acg tac ttt 1090
Val Ser Asn Pro Ser Leu Leu Asp Pro Asp Gln Asp Ala Thr Tyr Phe
295 300 305
ggg gct ttc aaa gtt cag gac ata gac tga gactcatttc gtggaacatt 1140
Gly Ala Phe Lys Val Gln Asp Ile Asp
310 315
agcatggatg tcctagatgt ttggaaactt cttaaaaaat ggatgatgtc tatacatgtg 1200
taagactact aagagacatg gccacgggtg tatgaaactc acagccctct ctcttgagcc 1260
tgtacagggt gtgtatatgt aaagtccata ggtgatgtta gattcatggt gattacacaa 1320
cggttttaca attttgtaat gatttcctag aattgaacca gattgggaga ggtattccga 1380
tgcttatgaa aaacttacac gtgagctatg gaaggggggc acagtctctg ggtctaacc 1440
ctggacatgt gccactgaga accttgaaat taagaggatg ccatgtcatt gcaaagaaat 1500
gatagtgtga aggggttaagt tcttttgaat tgttacattg cgctgggacc tgcaaataag 1560
ttcttttttt ctaatgagga gagaaaaata tatgtatttt tatataatgt ctaaagttat 1620
atttcagggtg taatgttttc tgtgcaaagt tttgtaaatt atatttgtgc tatagtattt 1680
gattcaaaat atttaaaaat gtctcactgt tgacatatatt aatgttttaa atgtacagat 1740
gtattttaact ggtgcacttt gtaattcccc tgaaggatc cgtagctaag ggggcagaat 1800
actgtttctg gtgaccacat gtagtttatt tctttattct ttttaactta atagagtctt 1860
cagactgtgc aaaactatgc aagcaaaaaa aataaaaata aataaaaata ataccttgaa 1920
taataagtag gatgttggtc accagggtgc tttcaaattt agaagctaag tgacttttagg 1980
agctgacata gccaaaaagg atacataata ggctactgaa atctgtcagg agtattttatg 2040
caattattga acagggtgtc ttttttacaa gagctacaaa ttgtaaattt tgtttctttt 2100
ttttcccata gaaaatgtac tatagtttat cagccaaaaa acaatccact ttttaattta 2160
gtgaaagtta ttttattata ctgtacaata aaagcattgt ctctgaatgt taattttttg 2220
gtacaaaaaa taaatttgta cgaaaacctg aaaaaaaaaa aaaaaaaggg cggccgctct 2280
agagggccct attctatag 2299

```

```

<210> 6
<211> 316
<212> PRT
<213> Mus musculus

```

```

<400> 6
Met Arg Arg Ala Ser Arg Asp Tyr Gly Lys Tyr Leu Arg Ser Ser Glu
1 5 10 15
Glu Met Gly Ser Gly Pro Gly Val Pro His Glu Gly Pro Leu His Pro
20 25 30
Ala Pro Ser Ala Pro Ala Pro Ala Pro Pro Pro Ala Ala Ser Arg Ser

```


<221> misc_feature
 <222> (1)..(36)
 <223> C-terminal part of *Saccharomyces cerevisiae*
 alpha-mating factor

 <220>
 <221> misc_feature
 <222> (85)..(561)
 <223> Encoding wild type murine OPGL, residues 158-316

<400> 7
 gag ctc gga tcc ctc gag aaa aga gag gct gaa gct cat gtc atg aaa 48
 Glu Leu Gly Ser Leu Glu Lys Arg Glu Ala Glu Ala His Val Met Lys
 1 5 10 15
 cac caa cac caa cat caa cat caa cat caa cat caa aaa cct gaa gct 96
 His Gln His Gln His Gln His Gln His Gln His Gln His Gln Lys Pro Glu Ala
 20 25 30
 cag cca ttc gct cat ctg acc atc aac gct gca tcg atc cct tct ggt 144
 Gln Pro Phe Ala His Leu Thr Ile Asn Ala Ala Ser Ile Pro Ser Gly
 35 40 45
 tct cat aaa gtt acc ctg tct tct tgg tat cac gac cgc ggt tgg gct 192
 Ser His Lys Val Thr Leu Ser Ser Trp Tyr His Asp Arg Gly Trp Ala
 50 55 60
 aaa atc tct aac atg acc ctg tct aac ggt aaa ctg aga gtt aac cag 240
 Lys Ile Ser Asn Met Thr Leu Ser Asn Gly Lys Leu Arg Val Asn Gln
 65 70 75 80
 gac ggt ttc tac tac ctg tac gct aac atc tgt ttc aga cat cac gaa 288
 Asp Gly Phe Tyr Tyr Leu Tyr Ala Asn Ile Cys Phe Arg His His Glu
 85 90 95
 acc tct ggt tct gtt cca acc gac tac ctg cag ctg atg gtt tac gtt 336
 Thr Ser Gly Ser Val Pro Thr Asp Tyr Leu Gln Leu Met Val Tyr Val
 100 105 110
 gtt aaa acc tct atc aaa atc cca tct tca cat aac ctg atg aaa ggt 384
 Val Lys Thr Ser Ile Lys Ile Pro Ser Ser His Asn Leu Met Lys Gly
 115 120 125
 ggt tct acc aaa aac tgg tct ggt aac tct gaa ttc cat ttc tac tct 432
 Gly Ser Thr Lys Asn Trp Ser Gly Asn Ser Glu Phe His Phe Tyr Ser
 130 135 140
 atc aac gtt ggt ggt ttc ttc aaa ctg aga gct ggt gaa gaa atc tct 480
 Ile Asn Val Gly Gly Phe Phe Lys Leu Arg Ala Gly Glu Glu Ile Ser
 145 150 155 160
 atc cag gtt tct aac cct tct ctg ctg gac cca gac cag gac gct acc 528
 Ile Gln Val Ser Asn Pro Ser Leu Leu Asp Pro Asp Gln Asp Ala Thr
 165 170 175
 tac ttc ggg gcc ttc aaa gtt cag gac atc gac tag 564
 Tyr Phe Gly Ala Phe Lys Val Gln Asp Ile Asp
 180 185

<210> 8
 <211> 187
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic PCR
 product with optimum codons for *E. coli* and *P.*

pastoris expression

<400> 8

```

Glu Leu Gly Ser Leu Glu Lys Arg Glu Ala Glu Ala His Val Met Lys
 1           5           10           15
His Gln His Gln His Gln His Gln His Gln Lys Pro Glu Ala
 20           25           30
Gln Pro Phe Ala His Leu Thr Ile Asn Ala Ala Ser Ile Pro Ser Gly
 35           40           45
Ser His Lys Val Thr Leu Ser Ser Trp Tyr His Asp Arg Gly Trp Ala
 50           55           60
Lys Ile Ser Asn Met Thr Leu Ser Asn Gly Lys Leu Arg Val Asn Gln
 65           70           75           80
Asp Gly Phe Tyr Tyr Leu Tyr Ala Asn Ile Cys Phe Arg His His Glu
 85           90           95
Thr Ser Gly Ser Val Pro Thr Asp Tyr Leu Gln Leu Met Val Tyr Val
 100          105          110
Val Lys Thr Ser Ile Lys Ile Pro Ser Ser His Asn Leu Met Lys Gly
 115          120          125
Gly Ser Thr Lys Asn Trp Ser Gly Asn Ser Glu Phe His Phe Tyr Ser
 130          135          140
Ile Asn Val Gly Gly Phe Phe Lys Leu Arg Ala Gly Glu Glu Ile Ser
 145          150          155          160
Ile Gln Val Ser Asn Pro Ser Leu Leu Asp Pro Asp Gln Asp Ala Thr
 165          170          175
Tyr Phe Gly Ala Phe Lys Val Gln Asp Ile Asp
 180          185

```

<210> 9

<211> 519

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: DNA encoding
murine OPGL, residues 158-316, fused to His tag

<220>

<221> CDS

<222> (1)..(519)

<220>

<221> misc_binding

<222> (1)..(42)

<223> His tag

<220>

<221> misc_feature

<222> (43)..(519)

<223> Murine OPGL, residues 158-316

<400> 9

```

atg aaa cac caa cac caa cat caa cat caa cat caa aaa cct   48
Met Lys His Gln His Gln His Gln His Gln His Gln Lys Pro
 1           5           10           15
gaa gct cag cca ttc gct cat ctg acc atc aac gct gca tcg atc cct   96

```

Glu	Ala	Gln	Pro	Phe	Ala	His	Leu	Thr	Ile	Asn	Ala	Ala	Ser	Ile	Pro	
			20					25					30			
tct	ggt	tct	cat	aaa	ggt	acc	ctg	tct	tct	tgg	tat	cac	gac	cgc	ggt	144
Ser	Gly	Ser	His	Lys	Val	Thr	Leu	Ser	Ser	Trp	Tyr	His	Asp	Arg	Gly	
		35					40					45				
tgg	gct	aaa	atc	tct	aac	atg	acc	ctg	tct	aac	ggt	aaa	ctg	aga	ggt	192
Trp	Ala	Lys	Ile	Ser	Asn	Met	Thr	Leu	Ser	Asn	Gly	Lys	Leu	Arg	Val	
	50					55				60						
aac	cag	gac	ggt	ttc	tac	tac	ctg	tac	gct	aac	atc	tgt	ttc	aga	cat	240
Asn	Gln	Asp	Gly	Phe	Tyr	Tyr	Leu	Tyr	Ala	Asn	Ile	Cys	Phe	Arg	His	
	65			70					75						80	
cac	gaa	acc	tct	ggt	tct	ggt	cca	acc	gac	tac	ctg	cag	ctg	atg	ggt	288
His	Glu	Thr	Ser	Gly	Ser	Val	Pro	Thr	Asp	Tyr	Leu	Gln	Leu	Met	Val	
			85					90					95			
tac	ggt	ggt	aaa	acc	tct	atc	aaa	atc	cca	tct	tca	cat	aac	ctg	atg	336
Tyr	Val	Val	Lys	Thr	Ser	Ile	Lys	Ile	Pro	Ser	Ser	His	Asn	Leu	Met	
			100					105				110				
aaa	ggt	ggt	tct	acc	aaa	aac	tgg	tct	ggt	aac	tct	gaa	ttc	cat	ttc	384
Lys	Gly	Gly	Ser	Thr	Lys	Asn	Trp	Ser	Gly	Asn	Ser	Glu	Phe	His	Phe	
		115					120					125				
tac	tct	atc	aac	ggt	ggt	ggt	ttc	ttc	aaa	ctg	aga	gct	ggt	gaa	gaa	432
Tyr	Ser	Ile	Asn	Val	Gly	Gly	Phe	Phe	Lys	Leu	Arg	Ala	Gly	Glu	Glu	
	130				135						140					
atc	tct	atc	cag	ggt	tct	aac	cct	tct	ctg	ctg	gac	cca	gac	cag	gac	480
Ile	Ser	Ile	Gln	Val	Ser	Asn	Pro	Ser	Leu	Leu	Asp	Pro	Asp	Gln	Asp	
				150						155					160	
gct	acc	tac	ttc	ggg	gcc	ttc	aaa	ggt	cag	gac	atc	gac				519
Ala	Thr	Tyr	Phe	Gly	Ala	Phe	Lys	Val	Gln	Asp	Ile	Asp				
			165						170							

<210> 10

<211> 173

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: DNA encoding
murine OPGL, residues 158-316, fused to His tag

<400> 10

Met	Lys	His	Gln	His	Gln	His	Gln	His	Gln	His	Gln	His	Gln	Lys	Pro	
	1			5				10						15		
Glu	Ala	Gln	Pro	Phe	Ala	His	Leu	Thr	Ile	Asn	Ala	Ala	Ser	Ile	Pro	
			20					25					30			
Ser	Gly	Ser	His	Lys	Val	Thr	Leu	Ser	Ser	Trp	Tyr	His	Asp	Arg	Gly	
		35					40					45				
Trp	Ala	Lys	Ile	Ser	Asn	Met	Thr	Leu	Ser	Asn	Gly	Lys	Leu	Arg	Val	
	50					55				60						
Asn	Gln	Asp	Gly	Phe	Tyr	Tyr	Leu	Tyr	Ala	Asn	Ile	Cys	Phe	Arg	His	
	65			70					75						80	
His	Glu	Thr	Ser	Gly	Ser	Val	Pro	Thr	Asp	Tyr	Leu	Gln	Leu	Met	Val	
			85					90					95			
Tyr	Val	Val	Lys	Thr	Ser	Ile	Lys	Ile	Pro	Ser	Ser	His	Asn	Leu	Met	
			100					105					110			
Lys	Gly	Gly	Ser	Thr	Lys	Asn	Trp	Ser	Gly	Asn	Ser	Glu	Phe	His	Phe	
		115					120					125				

Tyr Ser Ile Asn Val Gly Gly Phe Phe Lys Leu Arg Ala Gly Glu Glu
 130 135 140
 Ile Ser Ile Gln Val Ser Asn Pro Ser Leu Leu Asp Pro Asp Gln Asp
 145 150 155 160
 Ala Thr Tyr Phe Gly Ala Phe Lys Val Gln Asp Ile Asp
 165 170

<210> 11
 <211> 519
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Fusion of
 murine OPGL, residues 158-316 with C to S
 mutation, and His tag

<220>
 <221> CDS
 <222> (1)..(519)

<220>
 <221> misc_binding
 <222> (1)..(42)
 <223> His tag

<220>
 <221> misc_feature
 <222> (43)..(228)
 <223> Murine OPGL, residues 158-219

<220>
 <221> misc_feature
 <222> (232)..(519)
 <223> Murine OPGL, residues 221-316

<220>
 <221> mutation
 <222> (229)..(231)
 <223> tgt (Cys) to tcc (Ser)

<220>

<400> 11
 atg aaa cac caa cac caa cat caa cat caa cat caa cat caa aaa cct 48
 Met Lys His Gln His Gln His Gln His Gln His Gln His Gln Lys Pro
 1 5 10 15
 gaa gct cag cca ttc gct cat ctg acc atc aac gct gca tcg atc cct 96
 Glu Ala Gln Pro Phe Ala His Leu Thr Ile Asn Ala Ala Ser Ile Pro
 20 25 30
 tct ggt tct cat aaa gtt acc ctg tct tct tgg tat cac gac cgc ggt 144
 Ser Gly Ser His Lys Val Thr Leu Ser Ser Trp Tyr His Asp Arg Gly
 35 40 45
 tgg gct aaa atc tct aac atg acc ctg tct aac ggt aaa ctg aga gtt 192
 Trp Ala Lys Ile Ser Asn Met Thr Leu Ser Asn Gly Lys Leu Arg Val
 50 55 60

aac cag gac ggt ttc tac tac ctg tac gct aac atc tcc ttc aga cat	240
Asn Gln Asp Gly Phe Tyr Tyr Leu Tyr Ala Asn Ile Ser Phe Arg His	
65 70 75 80	
cac gaa acc tct ggt tct gtt cca acc gac tac ctg cag ctg atg gtt	288
His Glu Thr Ser Gly Ser Val Pro Thr Asp Tyr Leu Gln Leu Met Val	
85 90 95	
tac gtt gtt aaa acc tct atc aaa atc cca tct tca cat aac ctg atg	336
Tyr Val Val Lys Thr Ser Ile Lys Ile Pro Ser Ser His Asn Leu Met	
100 105 110	
aaa ggt ggt tct acc aaa aac tgg tct ggt aac tct gaa ttc cat ttc	384
Lys Gly Gly Ser Thr Lys Asn Trp Ser Gly Asn Ser Glu Phe His Phe	
115 120 125	
tac tct atc aac gtt ggt ggt ttc ttc aaa ctg aga gct ggt gaa gaa	432
Tyr Ser Ile Asn Val Gly Gly Phe Phe Lys Leu Arg Ala Gly Glu Glu	
130 135 140	
atc tct atc cag gtt tct aac cct tct ctg ctg gac cca gac cag gac	480
Ile Ser Ile Gln Val Ser Asn Pro Ser Leu Leu Asp Pro Asp Gln Asp	
145 150 155 160	
gct acc tac ttc ggg gcc ttc aaa gtt cag gac atc gac	519
Ala Thr Tyr Phe Gly Ala Phe Lys Val Gln Asp Ile Asp	
165 170	

<210> 12

<211> 173

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Fusion of
murine OPGL, residues 158-316 with C to S
mutation, and His tag

<400> 12

Met Lys His Gln His Gln His Gln His Gln His Gln His Gln Lys Pro	
1 5 10 15	
Glu Ala Gln Pro Phe Ala His Leu Thr Ile Asn Ala Ala Ser Ile Pro	
20 25 30	
Ser Gly Ser His Lys Val Thr Leu Ser Ser Trp Tyr His Asp Arg Gly	
35 40 45	
Trp Ala Lys Ile Ser Asn Met Thr Leu Ser Asn Gly Lys Leu Arg Val	
50 55 60	
Asn Gln Asp Gly Phe Tyr Tyr Leu Tyr Ala Asn Ile Ser Phe Arg His	
65 70 75 80	
His Glu Thr Ser Gly Ser Val Pro Thr Asp Tyr Leu Gln Leu Met Val	
85 90 95	
Tyr Val Val Lys Thr Ser Ile Lys Ile Pro Ser Ser His Asn Leu Met	
100 105 110	
Lys Gly Gly Ser Thr Lys Asn Trp Ser Gly Asn Ser Glu Phe His Phe	
115 120 125	
Tyr Ser Ile Asn Val Gly Gly Phe Phe Lys Leu Arg Ala Gly Glu Glu	
130 135 140	
Ile Ser Ile Gln Val Ser Asn Pro Ser Leu Leu Asp Pro Asp Gln Asp	
145 150 155 160	
Ala Thr Tyr Phe Gly Ala Phe Lys Val Gln Asp Ile Asp	
165 170	

<210> 13
 <211> 564
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Fusion of
 murine OPGL, residues 158-316 modified by
 introduction of tetanus toxoid P30 epitope, and
 His tag

<220>
 <221> CDS
 <222> (1)..(564)

<220>
 <221> misc_binding
 <222> (1)..(42)
 <223> His tag

<220>
 <221> misc_feature
 <222> (43)..(336)
 <223> Murine OPGL, residues 158-255

<220>
 <221> misc_feature
 <222> (337)..(399)
 <223> Tetanus toxoid P30 epitope

<220>
 <221> misc_feature
 <222> (400)..(564)
 <223> Murine OPGL, residues 262-316

<400> 13
 atg aaa cac caa cac caa cat caa cat caa cat caa cat caa aaa cct 48
 Met Lys His Gln His Gln His Gln His Gln His Gln His Gln Lys Pro
 1 5 10 15
 gaa gct cag cca ttc gct cat ctg acc atc aac gct gca tcg atc cct 96
 Glu Ala Gln Pro Phe Ala His Leu Thr Ile Asn Ala Ala Ser Ile Pro
 20 25 30
 tct ggt tct cat aaa gtt acc ctg tct tct tgg tat cac gac cgc ggt 144
 Ser Gly Ser His Lys Val Thr Leu Ser Ser Trp Tyr His Asp Arg Gly
 35 40 45
 tgg gct aaa atc tct aac atg acc ctg tct aac ggt aaa ctg aga gtt 192
 Trp Ala Lys Ile Ser Asn Met Thr Leu Ser Asn Gly Lys Leu Arg Val
 50 55 60
 aac cag gac ggt ttc tac tac ctg tac gct aac atc tgt ttc aga cat 240
 Asn Gln Asp Gly Phe Tyr Tyr Leu Tyr Ala Asn Ile Cys Phe Arg His
 65 70 75 80
 cac gaa acc tct ggt tct gtt cca acc gac tac ctg cag ctg atg gtt 288
 His Glu Thr Ser Gly Ser Val Pro Thr Asp Tyr Leu Gln Leu Met Val
 85 90 95
 tac gtt gtt aaa acc tct atc aaa atc cca tct tca cat aac ctg atg 336
 Tyr Val Val Lys Thr Ser Ile Lys Ile Pro Ser Ser His Asn Leu Met

	100		105		110	
ttc aac aac ttc acc gtt tct ttc tgg ctg agg gta ccg aaa gtt tct						384
Phe Asn Asn Phe Thr Val Ser Phe Trp Leu Arg Val Pro Lys Val Ser						
	115		120		125	
gct tct cac ctg gaa aac tgg tct ggt aac tct gaa ttc cat ttc tac						432
Ala Ser His Leu Glu Asn Trp Ser Gly Asn Ser Glu Phe His Phe Tyr						
	130		135		140	
tct atc aac gtt ggt ggt ttc ttc aaa ctg aga gct ggt gaa gaa atc						480
Ser Ile Asn Val Gly Gly Phe Phe Lys Leu Arg Ala Gly Glu Glu Ile						
	145		150		155	160
tct atc cag gtt tct aac cct tct ctg ctg gac cca gac cag gac gct						528
Ser Ile Gln Val Ser Asn Pro Ser Leu Leu Asp Pro Asp Gln Asp Ala						
	165		170		175	
acc tac ttc ggg gcc ttc aaa gtt cag gac atc gac						564
Thr Tyr Phe Gly Ala Phe Lys Val Gln Asp Ile Asp						
	180		185			

<210> 14

<211> 188

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Fusion of
murine OPGL, residues 158-316 modified by
introduction of tetanus toxoid P30 epitope, and
His tag

<400> 14

Met Lys His Gln His Gln His Gln His Gln His Gln His Gln Lys Pro	
1 5 10 15	
Glu Ala Gln Pro Phe Ala His Leu Thr Ile Asn Ala Ala Ser Ile Pro	
20 25 30	
Ser Gly Ser His Lys Val Thr Leu Ser Ser Trp Tyr His Asp Arg Gly	
35 40 45	
Trp Ala Lys Ile Ser Asn Met Thr Leu Ser Asn Gly Lys Leu Arg Val	
50 55 60	
Asn Gln Asp Gly Phe Tyr Tyr Leu Tyr Ala Asn Ile Cys Phe Arg His	
65 70 75 80	
His Glu Thr Ser Gly Ser Val Pro Thr Asp Tyr Leu Gln Leu Met Val	
85 90 95	
Tyr Val Val Lys Thr Ser Ile Lys Ile Pro Ser Ser His Asn Leu Met	
100 105 110	
Phe Asn Asn Phe Thr Val Ser Phe Trp Leu Arg Val Pro Lys Val Ser	
115 120 125	
Ala Ser His Leu Glu Asn Trp Ser Gly Asn Ser Glu Phe His Phe Tyr	
130 135 140	
Ser Ile Asn Val Gly Gly Phe Phe Lys Leu Arg Ala Gly Glu Glu Ile	
145 150 155 160	
Ser Ile Gln Val Ser Asn Pro Ser Leu Leu Asp Pro Asp Gln Asp Ala	
165 170 175	
Thr Tyr Phe Gly Ala Phe Lys Val Gln Asp Ile Asp	
180 185	

<210> 15

<211> 546
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Fusion
 between murine OPGL, residues 158-316 with tetanus
 toxoid P2 epitope introduced, and His tag

<220>
 <221> CDS
 <222> (1)..(546)

<220>
 <221> misc_binding
 <222> (1)..(42)
 <223> His tag

<220>
 <221> misc_feature
 <222> (43)..(336)
 <223> Murine OPGL, residues 158-255

<220>
 <221> misc_feature
 <222> (382)..(546)
 <223> Murine OPGL, residues 262-316

<220>
 <221> misc_feature
 <222> (337)..(381)
 <223> Tetanus toxoid P2 epitope

<400> 15
 atg aaa cac caa cac caa cat caa cat caa cat caa cat caa aaa cct 48
 Met Lys His Gln His Gln His Gln His Gln His Gln Lys Pro
 1 5 10 15
 gaa gct cag cca ttc gct cat ctg acc atc aac gct gca tcg atc cct 96
 Glu Ala Gln Pro Phe Ala His Leu Thr Ile Asn Ala Ala Ser Ile Pro
 20 25 30
 tct ggt tct cat aaa gtt acc ctg tct tct tgg tat cac gac cgc ggt 144
 Ser Gly Ser His Lys Val Thr Leu Ser Ser Trp Tyr His Asp Arg Gly
 35 40 45
 tgg gct aaa atc tct aac atg acc ctg tct aac ggt aaa ctg aga gtt 192
 Trp Ala Lys Ile Ser Asn Met Thr Leu Ser Asn Gly Lys Leu Arg Val
 50 55 60
 aac cag gac ggt ttc tac tac ctg tac gct aac atc tgt ttc aga cat 240
 Asn Gln Asp Gly Phe Tyr Tyr Leu Tyr Ala Asn Ile Cys Phe Arg His
 65 70 75 80
 cac gaa acc tct ggt tct gtt cca acc gac tac ctg cag ctg atg gtt 288
 His Glu Thr Ser Gly Ser Val Pro Thr Asp Tyr Leu Gln Leu Met Val
 85 90 95
 tac gtt gtt aaa acc cct atc aaa atc caa tct tca cat aac ctg atg 336
 Tyr Val Val Lys Thr Pro Ile Lys Ile Gln Ser Ser His Asn Leu Met
 100 105 110
 cag tac atc aaa gct aat tcg aaa ttc atc ggt atc acc gaa ctg aac 384
 Gln Tyr Ile Lys Ala Asn Ser Lys Phe Ile Gly Ile Thr Glu Leu Asn

115	120	125	
tgg tct ggt aac tct gaa ttc cat ttc tac tct atc aac gtt ggt ggt			432
Trp Ser Gly Asn Ser Glu Phe His Phe Tyr Ser Ile Asn Val Gly Gly			
130	135	140	
ttc ttc aaa ctg aga gct ggt gaa gaa atc tct atc cag gtt tct aac			480
Phe Phe Lys Leu Arg Ala Gly Glu Glu Ile Ser Ile Gln Val Ser Asn			
145	150	155	160
cct tct ctg ctg gac cca gac cag gac gct acc tac ttc ggg gcc ttc			528
Pro Ser Leu Leu Asp Pro Asp Gln Asp Ala Thr Tyr Phe Gly Ala Phe			
165	170	175	
aaa gtt cag gac atc gac			546
Lys Val Gln Asp Ile Asp			
180			

<210> 16

<211> 182

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Fusion
between murine OPGL, residues 158-316 with tetanus
toxoid P2 epitope introduced, and His tag

<400> 16

Met Lys His Gln His Gln His Gln His Gln His Gln His Gln Lys Pro	
1 5 10 15	
Glu Ala Gln Pro Phe Ala His Leu Thr Ile Asn Ala Ala Ser Ile Pro	
20 25 30	
Ser Gly Ser His Lys Val Thr Leu Ser Ser Trp Tyr His Asp Arg Gly	
35 40 45	
Trp Ala Lys Ile Ser Asn Met Thr Leu Ser Asn Gly Lys Leu Arg Val	
50 55 60	
Asn Gln Asp Gly Phe Tyr Tyr Leu Tyr Ala Asn Ile Cys Phe Arg His	
65 70 75 80	
His Glu Thr Ser Gly Ser Val Pro Thr Asp Tyr Leu Gln Leu Met Val	
85 90 95	
Tyr Val Val Lys Thr Pro Ile Lys Ile Gln Ser Ser His Asn Leu Met	
100 105 110	
Gln Tyr Ile Lys Ala Asn Ser Lys Phe Ile Gly Ile Thr Glu Leu Asn	
115 120 125	
Trp Ser Gly Asn Ser Glu Phe His Phe Tyr Ser Ile Asn Val Gly Gly	
130 135 140	
Phe Phe Lys Leu Arg Ala Gly Glu Glu Ile Ser Ile Gln Val Ser Asn	
145 150 155 160	
Pro Ser Leu Leu Asp Pro Asp Gln Asp Ala Thr Tyr Phe Gly Ala Phe	
165 170 175	
Lys Val Gln Asp Ile Asp	
180	

<210> 17

<211> 519

<212> DNA

<213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Fusion between
 murine OPGL, residues 158-316 with tetanus toxoid
 P2 epitope introduced, and His tag

<220>
 <221> CDS
 <222> (1)..(519)

<220>
 <221> misc_binding
 <222> (1)..(42)
 <223> His tag

<220>
 <221> misc_feature
 <222> (43)..(432)
 <223> Murine OPGL, residues 158-287

<220>
 <221> misc_feature
 <222> (478)..(519)
 <223> Murine OPGL, residues 303-316

<220>
 <221> misc_feature
 <222> (433)..(477)
 <223> Tetanus toxoid P2 epitope

<400> 17
 atg aaa cac caa cac caa cat caa cat caa cat caa cat caa aaa cct 48
 Met Lys His Gln His Gln His Gln His Gln His Gln His Gln Lys Pro
 1 5 10 15
 gaa gct cag cca ttc gct cat ctg acc atc aac gct gca tcg atc cct 96
 Glu Ala Gln Pro Phe Ala His Leu Thr Ile Asn Ala Ala Ser Ile Pro
 20 25 30
 tct ggt tct cat aaa gtt acc ctg tct tct tgg tat cac gac cgc ggt 144
 Ser Gly Ser His Lys Val Thr Leu Ser Ser Trp Tyr His Asp Arg Gly
 35 40 45
 tgg gct aaa atc tct aac atg acc ctg tct aac ggt aaa ctg aga gtt 192
 Trp Ala Lys Ile Ser Asn Met Thr Leu Ser Asn Gly Lys Leu Arg Val
 50 55 60
 aac cag gac ggt ttc tac tac ctg tac gct aac atc tgt ttc aga cat 240
 Asn Gln Asp Gly Phe Tyr Tyr Leu Tyr Ala Asn Ile Cys Phe Arg His
 65 70 75 80
 cac gaa acc tct ggt tct gtt cca acc gac tac ctg cag ctg atg gtt 288
 His Glu Thr Ser Gly Ser Val Pro Thr Asp Tyr Leu Gln Leu Met Val
 85 90 95
 tac gtt gtt aaa acc tct atc aaa atc cca tct tca cat aac ctg atg 336
 Tyr Val Val Lys Thr Ser Ile Lys Ile Pro Ser Ser His Asn Leu Met
 100 105 110
 aaa ggt ggt tct acc aaa aac tgg tct ggt aac tct gaa ttc cat ttc 384
 Lys Gly Gly Ser Thr Lys Asn Trp Ser Gly Asn Ser Glu Phe His Phe
 115 120 125
 tac tct atc aac gtt ggt ggt ttc ttc aaa ctg aga gct ggt gaa gaa 432
 Tyr Ser Ile Asn Val Gly Gly Phe Phe Lys Leu Arg Ala Gly Glu Glu
 130 135 140

```

cag tac atc aaa gct aat tcg aaa ttc atc ggt atc acc gaa ctg gac 480
Gln Tyr Ile Lys Ala Asn Ser Lys Phe Ile Gly Ile Thr Glu Leu Asp
145          150          155          160
gct acc tac ttc ggg gcc ttc aaa gtt cag gac atc gac 519
Ala Thr Tyr Phe Gly Ala Phe Lys Val Gln Asp Ile Asp
          165          170

```

```

<210> 18
<211> 173
<212> PRT
<213> Artificial Sequence

```

```

<220>
<223> Description of Artificial Sequence: Fusion between
      murine OPGL, residues 158-316 with tetanus toxoid
      P2 epitope introduced, and His tag

```

```

<400> 18
Met Lys His Gln His Gln His Gln His Gln His Gln His Gln Lys Pro
 1          5          10          15
Glu Ala Gln Pro Phe Ala His Leu Thr Ile Asn Ala Ala Ser Ile Pro
          20          25          30
Ser Gly Ser His Lys Val Thr Leu Ser Ser Trp Tyr His Asp Arg Gly
          35          40          45
Trp Ala Lys Ile Ser Asn Met Thr Leu Ser Asn Gly Lys Leu Arg Val
          50          55          60
Asn Gln Asp Gly Phe Tyr Tyr Leu Tyr Ala Asn Ile Cys Phe Arg His
          65          70          75          80
His Glu Thr Ser Gly Ser Val Pro Thr Asp Tyr Leu Gln Leu Met Val
          85          90          95
Tyr Val Val Lys Thr Ser Ile Lys Ile Pro Ser Ser His Asn Leu Met
          100          105          110
Lys Gly Gly Ser Thr Lys Asn Trp Ser Gly Asn Ser Glu Phe His Phe
          115          120          125
Tyr Ser Ile Asn Val Gly Gly Phe Phe Lys Leu Arg Ala Gly Glu Glu
          130          135          140
Gln Tyr Ile Lys Ala Asn Ser Lys Phe Ile Gly Ile Thr Glu Leu Asp
          145          150          155          160
Ala Thr Tyr Phe Gly Ala Phe Lys Val Gln Asp Ile Asp
          165          170

```

```

<210> 19
<211> 519
<212> DNA
<213> Artificial Sequence

```

```

<220>
<223> Description of Artificial Sequence: Fusion between
      murine OPGL, residues 158-316 with tetanus toxoid
      P30 epitope introduced, and His tag

```

```

<220>
<221> CDS
<222> (1)..(519)

```


<220>
 <221> misc_binding
 <222> (1)..(42)
 <223> His tag

<220>
 <221> misc_feature
 <222> (43)..(231)
 <223> Murine OPGL, residues 158-220

<220>
 <221> misc_feature
 <222> (295)..(519)
 <223> Murine OPGL, residues 242-316

<220>
 <221> misc_feature
 <222> (232)..(294)
 <223> Tetanus toxoid P30 epitope

<400> 19
 atg aaa cac caa cac caa cat caa cat caa cat caa cat caa aaa cct 48
 Met Lys His Gln His Gln His Gln His Gln His Gln His Gln Lys Pro
 1 5 10 15
 gaa gct cag cca ttc gct cat ctg acc atc aac gct gca tcg atc cct 96
 Glu Ala Gln Pro Phe Ala His Leu Thr Ile Asn Ala Ala Ser Ile Pro
 20 25 30
 tct ggt tct cat aaa gtt acc ctg tct tct tgg tat cac gac cgc ggt 144
 Ser Gly Ser His Lys Val Thr Leu Ser Ser Trp Tyr His Asp Arg Gly
 35 40 45
 tgg gct aaa atc tct aac atg acc ctg tct aac ggt aaa ctg aga gtt 192
 Trp Ala Lys Ile Ser Asn Met Thr Leu Ser Asn Gly Lys Leu Arg Val
 50 55 60
 aac cag gac ggt ttc tac tac ctg tac gct aac atc tgt ttc aac aac 240
 Asn Gln Asp Gly Phe Tyr Tyr Leu Tyr Ala Asn Ile Cys Phe Asn Asn
 65 70 75 80
 ttc acc gtt tct ttc tgg ctg agg gta ccg aaa gtt tct gct tct cac 288
 Phe Thr Val Ser Phe Trp Leu Arg Val Pro Lys Val Ser Ala Ser His
 85 90 95
 ctg gaa gtt aaa acc tct atc aaa atc cca tct tca cat aac ctg atg 336
 Leu Glu Val Lys Thr Ser Ile Lys Ile Pro Ser Ser His Asn Leu Met
 100 105 110
 aaa ggt ggt tct acc aaa aac tgg tct ggt aac tct gaa ttc cat ttc 384
 Lys Gly Gly Ser Thr Lys Asn Trp Ser Gly Asn Ser Glu Phe His Phe
 115 120 125
 tac tct atc aac gtt ggt ggt ttc ttc aaa ctg aga gct ggt gaa gaa 432
 Tyr Ser Ile Asn Val Gly Gly Phe Phe Lys Leu Arg Ala Gly Glu Glu
 130 135 140
 atc tct atc cag gtt tct aac cct tct ctg ctg gac cca gac cag gac 480
 Ile Ser Ile Gln Val Ser Asn Pro Ser Leu Leu Asp Pro Asp Gln Asp
 145 150 155 160
 gct acc tac ttc ggg gcc ttc aaa gtt cag gac atc gac 519
 Ala Thr Tyr Phe Gly Ala Phe Lys Val Gln Asp Ile Asp
 165 170

<210> 20

<211> 173
 <212> PRT
 <213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Fusion between murine OPGL, residues 158-316 with tetanus toxoid P30 epitope introduced, and His tag

<400> 20

```

Met Lys His Gln His Gln His Gln His Gln His Gln His Gln Lys Pro
 1           5           10           15
Glu Ala Gln Pro Phe Ala His Leu Thr Ile Asn Ala Ala Ser Ile Pro
          20          25          30
Ser Gly Ser His Lys Val Thr Leu Ser Ser Trp Tyr His Asp Arg Gly
          35          40          45
Trp Ala Lys Ile Ser Asn Met Thr Leu Ser Asn Gly Lys Leu Arg Val
          50          55          60
Asn Gln Asp Gly Phe Tyr Tyr Leu Tyr Ala Asn Ile Cys Phe Asn Asn
 65          70          75          80
Phe Thr Val Ser Phe Trp Leu Arg Val Pro Lys Val Ser Ala Ser His
          85          90          95
Leu Glu Val Lys Thr Ser Ile Lys Ile Pro Ser Ser His Asn Leu Met
          100         105         110
Lys Gly Gly Ser Thr Lys Asn Trp Ser Gly Asn Ser Glu Phe His Phe
          115         120         125
Tyr Ser Ile Asn Val Gly Gly Phe Phe Lys Leu Arg Ala Gly Glu Glu
          130         135         140
Ile Ser Ile Gln Val Ser Asn Pro Ser Leu Leu Asp Pro Asp Gln Asp
          145         150         155         160
Ala Thr Tyr Phe Gly Ala Phe Lys Val Gln Asp Ile Asp
          165         170

```

<210> 21
 <211> 68
 <212> DNA
 <213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic PCR primer

<400> 21

```

agctgcagggt agtcggttgg aacagaacca gaggtttcgt gatgtctgaa acagatgtta 60
gcgtacag                                           68

```

<210> 22
 <211> 24
 <212> DNA
 <213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic PCR primer

<400> 22
 ctcatctgac catcaacgct gcat 24

<210> 23
 <211> 64
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic PCR primer

<400> 23
 tttcgggtacc ctccagccaga aagaaacggt gaagttggtg aaacagatgt tagcgtacag 60
 gtag 64

<210> 24
 <211> 61
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic PCR primer

<400> 24
 tgagggtacc gaaagtttct gcttctcacc tggaagttaa aaccctatc aaaatccaat 60
 c 61

<210> 25
 <211> 63
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic PCR primer

<400> 25
 tttcgggtacc ctccagccaga aagaaacggt gaagttggtg aacatcaggt tatgtgaaga 60
 ttg 63

<210> 26
 <211> 62
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic PCR primer

<400> 26
 tgagggtacc gaaagtttct gcttctcacc tggaaaactg gtctggtaac tctgaattcc 60

<210> 27
<211> 79
<212> DNA
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic PCR
primer

<400> 27
tacctgcagc tgatggttta cgttgttaaa acccctatca aaatccaatc ttcacataac 60
ctgatgcagt acatcaaag 79

<210> 28
<211> 83
<212> DNA
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic PCR
primer

<400> 28
tggaattcag agttaccaga ccagttcagt tcggtgatac cgatgaattt cgaattagct 60
ttgatgtact gcatcaggtt atg 83

<210> 29
<211> 49
<212> DNA
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic PCR
primer

<400> 29
gaatttcgaa ttagctttga tgtactgttc ttcaccagct ctcagtttg 49

<210> 30
<211> 53
<212> DNA
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic PCR
primer

<400> 30
gctaattcga aattcatcgg tatcaccgaa ctggacgcta cctacttcgg ggc 53

<210> 31
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic PCR
primer

<400> 31
cttactagtc gatgtcctga actttg 26

<210> 32
<211> 74
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic PCR
primer

<400> 32
agtggaattc agagttacca gaccagtttt tggtagaacc acctttcatc aggttatgtg 60
aagatgggat ttg 74

<210> 33
<211> 65
<212> DNA
<213> Clostridium tetani

<400> 33
actacctgca gctgatggtt tacgttggtt aaacctctat caaaatccca tcttcacata 60
acctg 65

<210> 34
<211> 15
<212> PRT
<213> Clostridium tetani

<400> 34
Gln Tyr Ile Lys Ala Asn Ser Lys Phe Ile Gly Ile Thr Glu Leu
1 5 10 15

<210> 35
<211> 21
<212> PRT
<213> Clostridium tetani

<400> 35
Phe Asn Asn Phe Thr Val Ser Phe Trp Leu Arg Val Pro Lys Val Ser
1 5 10 15
Ala Ser His Leu Glu
20

<210> 36
<211> 13
<212> PRT
<213> Artificial Sequence

210
Cont
<220>
<223> A pan DR epitope ("PADRE") peptide

<400> 36
Ala Lys Phe Val Ala Ala Trp Thr Leu Lys Ala Ala Ala
1 5 10
